



# TECHNOMATT


Anti-Fingerprint Acrylic Panel




# TECHNOMATT

Smooth surface, Pleasant feeling...







AF10 | White



AF11 | Milky White *\*NEW*




AF22 | Beige



AF25 | Cappuccino *\*NEW*



AF35 | Light Grey




AF36 | Cashmere




AF34 | Grey



AF39 | Warm Grey *\*NEW*




AF38 | Shadow Grey *\*NEW*



AF37 | Dark Grey




AF41 | Black




AF51 | Dark Blue




AF50 | Blue



AF60 | Green



AF70 | Clay Green




AF30 | Tile Red

\*Colors may vary, ask for samples.

# What is TECHNOMATT?

Technomatt is the new generation anti-fingerprint, anti-stain and anti-smudge surface solution by Gizir. The haptic effect is silky smooth with Technomatt panels. They are easy to clean with any type of cleaning material and they have high scratch resistance. In case the surface is scratched, it can be repaired by applying heat via ironing using a piece of cloth in between.



Dimensions (mm)	
Width	1220
Length	2800
Thickness	18

\*thickness options available

# Why choose TECHNOMATT?

Technomatt stands out as a premium solution for modern interior designs, offering exceptional quality and durability. Its innovative fingerprint-resistant surface makes Technomatt an excellent choice for high-traffic areas.



Excellent anti-fingerprint effect



Supermatt, smooth surface



Exceptional chemical resistance



Scour resistant



Easy to clean and maintain

Outstanding stain resistance



Excellent scratch resistance




Increased UV resistance



Antibacterial



Matching back side  
Matching ABS edgeband





## Where to use?



Kitchen



Bathroom



Living room



Bedroom




Hotel furniture



Office furniture



Cabinet door



Wall panelling

Antibacterial surface  
properties according to  
ISO 22196 / JIS Z 2801




AF10 | White




AF11 | Milky White *\*NEW*



\*Colors may vary, ask for samples.




AF22 | Beige




\*Colors may vary, ask for samples.

AF25 | Cappuccino

**\*NEW**



AF35 | Light Grey



AF36 | Cashmere





\*Colors may vary, ask for samples.




AF34 | Grey




\*Colors may vary, ask for samples.



AF39 | Warm Grey **\*NEW**




AF38 | Shadow Grey **\*NEW**



AF37 | Dark Grey



\*Colors may vary, ask for samples.




AF41 | Black




\*Colors may vary, ask for samples.

AF51 | Dark Blue



AF50 | Blue



AF60 | Green




\*Colors may vary, ask for samples.



AF70 | Clay Green



\*Colors may vary, ask for samples.



AF30 | Tile Red



AF38 | Shadow Grey *\*NEW*

\*Colors may vary, ask for samples.



\*Colors may vary, ask for samples.

AF39 | Warm Grey **\*NEW**

## TECHNICAL INFORMATION

NO	FEATURE	UNIT	RESULT	STANDARD
1	Top surface gloss (60° angle)	Gloss	< 5 GLE	DIN 67530
2	Scratch resistance (rating group 4 B)	N	>2 N	DIN 68861/T4
3	Resistance to wet heat rating group 8 B	Class	70°C No change (8B)	DIN 68861/T8
4	Resistance to dry heat rating group 7 D	Class	75°C No change (7D)	DIN 68861/T7
5	Colour fastness, resistance to weathering Delta E (furniture panels - indoorapplication)total colour	Class	DE <1,7	ISO 4892-2
6	Difference after 200h Xenon test Chemical resistance (rating group 1B)	Grey Scala	No visible changes	DIN 68861/T1
7	Behaviour to water vapour (module 2)	Class	No visible changes	AMK
8	Thickness tolerance	mm	± 0,3 mm	TS EN 324-1
9	Bow tolerance	-	3,5 mm / m	Gizir
10	Width and Lenght tolerance	mm / m	± 5 mm	TS EN 324-1
11	Resistance to steel wool load: 1kg; strokes: 20; steel wool type: 00;	kg	class 1. no changes or scratches visible	SENO COMPANY TEST METHOD QPA-25-LT
12	Antibacterial test (Antibac_E_shord)	-	No change	TS ISO 2219:2011

(\*) These values are weighted average of the test results.



gizir.com  
info@gizir.com

**İSTANBUL**  
Export office & Showroom  
Barbaros Mah. Begonya Sok.  
Nidakule Ataşehir Kuzey Sit.  
No:3/70 Ataşehir / İstanbul  
T: +90 (216) 519 33 73

**ADANA**  
Headquarters  
Acıdereosb Mahallesi  
Çanakkale Caddesi  
No:17 Sarıçam / Adana  
T: +90 (322) 394 43 40 (pbx)