

Krono
Original
High Quality
Made by Kronospan



FLOORS
WALLS

WALLS AND FLOORS YOU CAN TRUST

Driven by innovation,
built for comfort,
delivered with style.



Wood processing has been our passion for over 125 years. It's what Kronospan knows and does best. We understand that every space needs a solid foundation to thrive on. This is the essence of KronoOriginal - a brand dedicated to delivering high-quality floor and wall solutions for everyday comfort.

An aerial photograph of a vibrant blue river winding through a dense, green forest. The river flows from the top center towards the bottom right, with white rapids visible in several sections. The surrounding forest is thick and lush, with varying shades of green. The overall scene is serene and natural.

**AT THE HEART OF
OUR MISSION IS A
COMMITMENT TO:**

**SUSTAINABLE
PRODUCTION PRACTICES**

**NEXT-GENERATION
WATER PROTECTION**

**TREND-SETTING
DESIGN INNOVATIONS**

**QUICK AND INTUITIVE
INSTALLATION SYSTEMS**

**WORLDWIDE AVAILABILITY
FOR FAST DELIVERY**

WATER PROTECTION AT ITS BEST

Fast-paced life requires high-performance flooring. For us, water protection comes first.

K507

Water is everywhere around us. But when it comes to your home, it shouldn't be a threat. That's why we have dedicated our efforts to developing and perfecting the protection systems of our flooring. Designed to handle life's little spills... and the big ones, too. Our water protection technologies are built for life. Because life happens, and your floor should be ready for it.

ROCKO
VINYL FLOORING

O.R.C.A.
WATERPROOF FLOORING

MO.RE!
WATER RESISTANT FLOORING

AUTHENTIC LOOK & FEEL OF NATURE

Our deeply rooted connection with nature inspires us to seek it everywhere around us. This never-ending quest is the driving force behind our creative process.

K665

The beauty of nature reveals itself in the distinct authenticity of its imperfections. Our passion is to capture and recreate these unique visual qualities in each of our designs, bringing warmth and comfort into every home.

Thanks to our advanced digital printing and synchronized embossing surface technologies, we are able to achieve an impressive level of realism and create floors that not only look good, but also make you feel good.

As part of our Perfect Plank technology, we've introduced a new generation of floors with no design repetition for an added level of realism.

- Herringbone with up to 120 unique planks (10 m² | 108 ft²)
- Long planks with up to 16 unique panels (8 m² | 86 ft²)
- Wide planks with up to 32 unique planks (10 m² | 108 ft²)
- Standard planks with up to 40 unique digitally printed panels (10 m² | 108 ft²)

Look for these symbols to find the rest of our Authentic Embossed and Perfect Plank decors.



Authentic
Embossed

The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



Perfect
Plank

An innovative technology of digitally printed planks with low pattern repeat.

Multi Room Concept

ONE DESIGN. MULTIPLE FLOORING FORMATS.

The Interior is not defined by four walls alone. It's shaped by the quiet details that surround you every day. That's why we design surfaces that don't just meet functional needs, but also support the rhythm of your life. Our floors and panels are the calm backdrop to your story, connecting rooms, moods, and moments.

With our Multi Room Concept, your favourite decor becomes the foundation of your entire home. Explore the freedom of applying one design in multiple flooring formats, because no two rooms live the same life.

Choose the timeless charm of Herringbone for living areas, evoking classic elegance with a modern twist. Extend the story into open, spacious interiors with long-format planks that enhance volume and flow. For bathrooms, kitchens, or utility areas, make seamless transitions with standard planks in the same matching decor, ensuring performance and beauty without compromise.

Look for this symbol to find our
Multi Room Concept decors.



Multi Room
Concept

Design available in different plank formats for every space - long plank, herringbone or standard / wide plank

O.R.C.A. WATERPROOF FLOORING

- Herringbone, Wide Plank and Long Plank

MO.RE! WATER RESISTANT FLOORING

- Herringbone, Standard Plank and Long Plank




K847 Blonde Montanara Oak, MR



K847 Blonde Montanara Oak, MR



K847 Blonde Montanara Oak, MR



Multi Room Concept

EVERY SPACE BECOMES YOU



K843 Natural Darcy Oak, DY



Design freedom starts here - mix & match effortlessly
Standard / Wide, Long and Herringbone planks for a unified
and elegant spatial layout.

OUR PERFECTPADS



**Built-in pad for comfort,
sound insulation, and easy installation**

PerfectPad® IXPE

Durable, quiet, waterproof



R244




PerfectPad® ECO

Sustainable, eco-friendly



K489



K453

PerfectPad® CORK

Natural warmth, sound-absorbing



KEY VALUES	02
FLOORING	18
PRODUCT & DECOR OVERVIEW	20

ROCKO VINYL FLOORING	24
LONG PLANK SILENT	30
HERRINGBONE SILENT	34
WIDE PLANK SILENT	38
STANDARD PLANK SILENT	44
O.R.C.A. WATERPROOF FLOORING	48
DURASTAR SILENT CORK	54
FLEX SILENT CORK	66
CLASSIC SILENT ECO/CORK	76
CLASSIC	82
COMFORT SILENT CORK	88
CLEVER SILENT ECO	92

MO.RE! WATER RESISTANT FLOORING	96
REAL WOOD	98
LONG PLANK 12	102
ATLANTIC 12	106
ATLANTIC 10	110
HERRINGBONE 8	116
LONG PLANK 8	122
ATLANTIC 8	126
ATLANTIC 7	138
LAMINATE FLOORING	144
SUPER NATURAL 8	146




WALL PANELS	152
ACOUSTIC PANLES	154
3D WALL PANELS	158
WALL & CEILING PANELS	162
ACCESSORIES	168
PACKAGING INFORMATION	174
FEATURES	176



ROCKO
VINYL FLOORING



O.R.C.A.
WATERPROOF FLOORING



MO.RE!
WATER RESISTANT FLOORING



LAMINATE
FLOORING



WALL
PANELS



FLOORS

K847 Blonde Montanara Oak, MR



Product Overview

	Collection	Water Protection (Coreboard)	Thickness/Pad	Durability	Warranty*3	Microscratch	Petproof	PerfectPad®	Perfect Plank	Multi Room Concept	Bevel	Authentic Embossed	SKU	
ROCKO VINYL FLOORING	LONG PLANK SILENT 1850 x 295 mm 72.83" x 11.61"	ROCKO TECHNOLOGY	6 mm incl. 1 mm PerfectPad® IXPE	Titanium Ultra ⁵	30 years	✓	✓	✓	✓		✓	✓	4	
	HERRINGBONE SILENT 635 x 127 mm 25.00" x 5.00"	ROCKO TECHNOLOGY	6 mm incl. 1 mm PerfectPad® IXPE	Titanium Ultra ⁵	30 years	✓	✓	✓	✓		Micro Bevel	✓	6	
	WIDE PLANK SILENT 1210 x 234 mm 47.64" x 9.21"	ROCKO TECHNOLOGY	6 mm incl. 1 mm PerfectPad® IXPE	Titanium Ultra ⁵	30 years	✓	✓	✓	✓ ⁴			✓	✓ ⁴	12
	STANDARD PLANK SILENT 1210 x 192 mm 47.64" x 7.56"	ROCKO TECHNOLOGY	6 mm incl. 1 mm PerfectPad® IXPE	Titanium Ultra ⁵	30 years	✓	✓	✓	✓ ⁴			✓	✓ ⁴	8
O.R.C.A. WATERPROOF FLOORING	DURASTAR SILENT CORK 630 x 126 mm 24.80" x 4.96" 1288 x 245 mm 50.71" x 9.65" 2003 x 245 mm 78.86" x 9.65"	O.R.C.A.® WATER DEFENSE TECHNOLOGY	9 mm 13 mm incl. 1 mm PerfectPad® Cork	AC6	Lifetime	✓	✓	✓	✓ ⁴	✓ ⁴	✓	✓	16	
	FLEX SILENT CORK 638 x 322 mm 25.12" x 12.68" 1288 x 189 mm 50.71" x 7.44"	O.R.C.A.® WATER DEFENSE TECHNOLOGY	7 mm incl. 1 mm PerfectPad® Cork	Titanium Ultra ⁵	30 years	✓	✓	✓				✓		11
	CLASSIC SILENT ECO / CORK 1286 x 192 mm 50.63" x 7.56" ECO 1288 x 195 mm 50.71" x 7.68" ECO 1383 x 159 mm 54.45" x 6.26" Cork	O.R.C.A.® WATER DEFENSE TECHNOLOGY	8.5 mm 9 mm incl. 1 mm PerfectPad® ECO incl. 1 mm PerfectPad® Cork	AC5	30 years	✓	✓	✓	✓ ⁴			✓ Pressed Bevel Soft Bevel	✓ ⁴	12
	CLASSIC 638 x 330mm 25.12" x 12.99" 1288 x 195 mm 50.71" x 7.68"	O.R.C.A.® WATER DEFENSE TECHNOLOGY	8 mm	AC5	30 years	✓	✓		✓ ⁴			✓	✓ ⁴	13
	COMFORT SILENT CORK 1288 x 195 mm 50.71" x 7.68"	O.R.C.A.® WATER DEFENSE TECHNOLOGY	8 mm incl. 1 mm PerfectPad® Cork	AC5	20 years	✓	✓	✓				✓		6
	CLEVER SILENT ECO 1288 x 195 mm 50.71" x 7.68"	O.R.C.A.® WATER DEFENSE TECHNOLOGY	7 mm incl. 1 mm PerfectPad® ECO	AC5	20 years	✓	✓	✓				✓	✓	6
REAL WOOD FLOORING MO.REI WATER RESISTANT FLOORING	REAL WOOD 1383 x 244 mm 54.45" x 9.61"	m.re! moisture resistance technology	8.5 mm	Titanium Ultra ⁵	20 years		✓				Soft Bevel		3	
	LONG PLANK 12 2003 x 245 mm 78.86" x 9.65"	m.re! moisture resistance technology	12 mm	AC5	30 years	✓	✓		✓ ⁴		✓	✓ ⁴	6	
	ATLANTIC 12 1288 x 195 mm 50.71" x 7.68"	m.re! moisture resistance technology	12 mm	AC5	30 years	✓	✓		✓ ⁴		✓	✓	6	
	ATLANTIC 10 1288 x 195 mm 50.71" x 7.68"	m.re! moisture resistance technology	10 mm	AC5	30 years	✓	✓		✓ ⁴		✓	✓	14	
	HERRINGBONE 8 630 x 126 mm 24.80" x 4.96"	m.re! moisture resistance technology	8 mm	AC5	20 years	✓	✓		✓ ⁴	✓ ⁴	✓	✓ ⁴	10	
	LONG PLANK 8 2003 x 245 mm 78.86" x 9.65"	m.re! moisture resistance technology	8 mm	AC4	20 years		✓		✓	✓	✓	✓	✓ ⁴	6
	ATLANTIC 8 638 x 330 mm 25.12" x 12.99" 1288 x 195 mm 50.71" x 7.68"	m.re! moisture resistance technology	8 mm	AC4	20 years		✓		✓ ⁴	✓ ⁴	✓	✓	✓ ⁴	26
	ATLANTIC 7 1288 x 245 mm 50.71" x 9.65" 1288 x 195 mm 50.71" x 7.68"	m.re! moisture resistance technology	7 mm	AC4	20 years		✓					✓		8
LAMINATE FLOORING	SUPER NATURAL 8 1288 x 195 mm 50.71" x 7.68"	PTI WOOD TECHNOLOGY	8 mm	AC4	20 years		✓				✓	✓ ⁴	12	

Global Range Decor Overview

	Collection	Decors											
ROCKO VINYL FLOORING	LONG PLANK SILENT												
		R236	R241	R244	R243								
	HERRINGBONE SILENT												
		K804	K802	K805	K800	K803	K801						
WIDE PLANK SILENT													
		R248	R245	R235	R232	R242	R066	R240	R231	R247	R233	R133	R239
	STANDARD PLANK SILENT												
	R078	R250	R251	R238	R237	R081	R234	R246					
O.R.C.A. WATERPROOF FLOORING	DURASTAR SILENT CORK												
		K844	K854	K847	K852	K853	K843	K850	K849				
	FLEX SILENT CORK												
		K500	K503	K506	K501	K507	K504	K502	K505	K508	K509	K510	
	CLASSIC SILENT ECO / CORK												
		K668	K406	K2971	K2907	K665	K230	K405	K224	K2909	5947	O980	O771
	CLASSIC												
	K231	K669	K406	K405	K230	K224	5947	K479	K395	K881	K035	K387	
COMFORT SILENT CORK													
	5953	K453	K329	K224	K489	K445							
CLEVER SILENT ECO													
	K063	K452	K853	K598	K327	K489							
REAL WOOD FLOORING	REAL WOOD												
	O273	O462	O352										
MO.REI WATER RESISTANT FLOORING	LONG PLANK 12												
		K659	K657	K326	K662	K664	K851						
	ATLANTIC 12												
		K845	K843	K726	K285	K476	K287						
	ATLANTIC 10												
		K413	K665	K667	K669	K478	K852	K854	K853	K476	5947	5537	8155
	HERRINGBONE 8												
	K844	K847	K326	K843	K850	5947	K848	K488	K849	K023			
LONG PLANK 8													
	K844	K847	K843	K850	K848	K849							
ATLANTIC 8													
	K640	K451	K653	K469	K453	K326	K856	K2737	K844	K847	K843	K788	
ATLANTIC 7													
	K655	K652	K629	K654	K638	K649	K647	K650					
LAMINATE FLOORING	SUPER NATURAL												
	K418	5946	5966	K057	K625	K419	5985	K338	8573	8575	K468	K635	

*1 24 h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100 h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.kronospan.com/en_EN/100hours-test/, up to 100 h no leakage based on ISO 4760:2022-05. This does not apply to Herringbone products.
 *2 24 h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WN-103, www.kronospan.com/en_EN/floor-with-more/
 *3 According to warranty terms
 *4 Selected Decors
 *5 Class 34, EN 16511
 *6 Class 32, EN 14354



See all this
and more at
krono-original.com

Vinyl Flooring

A solid step up

Rocko Technology is an advanced innovation that combines a high-density mineral core (over 70% natural stone powder) with special components to create an ultra-rigid, waterproof, and dimensionally stable material.

It is the perfect waterproof foundation for residential and commercial environments, heavy foot traffic spaces and quick renovations.

DESIGNED TO ENDURE

Remarkably realistic visuals bring the timeless elegance of natural materials into your home.

From contemporary homes to high-traffic commercial spaces, Rocko® flooring is engineered to perform. With superior moisture protection and dimensional stability, our floors are ideal for any room, including kitchens and bathrooms. Easy to install and effortless to maintain, they offer the perfect blend of functionality and elegance.



R238 Dune Allegra Oak, SE

SENSO TOUCH

Embossed-in-Register Vinyl

SYNCHRONIZED TO PERFECTION

Our pioneering Embossed-in-Register vinyl flooring is where beauty and performance move in perfect harmony.

Engineered for ultimate rigidity and durability, our SPC core delivers exceptional stability underfoot, ensuring your floors stand the test of time in even the busiest spaces.

Every detail is captured to perfection thanks to the Embossed-in-Register texture that seamlessly follows the grain of the wood.

The result? A look and feel that's stunningly realistic.

This symbol highlights all SensoTouch decors

SENSO TOUCH



R246 Cadenza Walnut, SE



R242 Natural Willamette Hickory, SE

Appearance of natural wood

Rocko Flooring designs are digitally printed, reflecting the smallest detail and the rich grain of wood.



R244 Blond Newport Oak, SE

Ensured stability

Rocko Flooring range is set apart from other types of vinyl flooring by its unique resilient core, which provides an incredibly stable base for each flooring plank and ensures dimensional stability, even with high temperature fluctuations.




Waterproof and suitable for bathrooms, kitchens, hallways, and public spaces



Rigid Vinyl core for improved strength and 1 clic 2go pure installation



Stable under temperature changes, ideal for heated floors or sunny rooms



Designs that match your style and ideas



Low-maintenance and easy to clean




Perfect for renovation thanks to reduced subfloor preparation needs

LONG PLANK SILENT



with PerfectPad® IXPE 1 mm



Format:
1850 x 295 mm | 72.83" x 11.61"

Thickness:
6 mm



Lock:
1cllic 2go pure

ROCKO
TECHNOLOGY

EN 16511




R236 Seashell Regis Oak, SE



LONG PLANK SILENT



with PerfectPad® IXPE 1 mm



R243 Smoked Luna Walnut, SE

Format:
1850 x 295 mm | 72.83" x 11.61"

Thickness:
6 mm




ROCKO VINYL FLOORING

HERRINGBONE SILENT



with PerfectPad® IXPE 1 mm



Format:
635 x 127 mm | 25.00" x 5.00"

Thickness:
6 mm

Lock:
Fold Down

ROCKO
TECHNOLOGY

EN 16511




K805 Gold Highgate Oak, HT

HERRINGBONE SILENT



with PerfectPad® IXPE 1 mm




K800
Greige Montanara Oak, MR

new



K803
Tobacco Montanara Oak, MR

new



K801
Steel Montanara Oak, MR

new



K803 Tobacco Montanara Oak, MR

Format:
635 x 127 mm | 25.00" x 5.00"


Thickness:
6 mm



ROCKO VINYL FLOORING

WIDE PLANK SILENT

with PerfectPad® IXPE 1 mm



R248
Pebble Richelieu Oak, MW



R245
Ash Newport Oak, SE

SENSOTOUCH



R235
Honey Regis Oak, SE

SENSOTOUCH

Format:
1210 x 234 mm | 47.64" x 9.21"

Thickness:
6 mm

Lock:
1 clic 2 go pure

ROCKO
TECHNOLOGY

* selected decors

EN 16511




R248 Pebble Richelieu Oak, MW

WIDE PLANK SILENT




with PerfectPad® IXPE 1 mm



R232
Straw Villa Rica Oak, FN

new



R242
Natural Willamette Hickory, SE

new

SENSOTOUCH




R066
Sculpta, HS



R232 Straw Villa Rica Oak, FN

Format:
1210 x 234 mm | 47.64" x 9.21"


Thickness:
6 mm



R240
Pure Cortona Oak, SE


new

SENSOTOUCH



R231
Cookie Villa Rica Oak, FN

new





R247
Golden Richelieu Oak, MW

new

WIDE PLANK SILENT



with PerfectPad® IXPE 1 mm



R233 Caramel Regis Oak, SE

Format:
1210 x 234 mm | 47.64" x 9.21"

Thickness:
6 mm



STANDARD PLANK SILENT



with PerfectPad® IXPE 1 mm



Format:
1210 x 192 mm | 47.64" x 7.56"


Thickness:
6 mm

Lock:
1 clic 2go pure


ROCKO TECHNOLOGY

* selected decors


EN 16511



R078
Airflow, HS



R250
Linen Cortado Oak, MW



R251
Sand Mesa Oak, MW

R250 Linen Cortado Oak, MW






STANDARD PLANK SILENT



with PerfectPad® IXPE 1 mm

Format:
1210 x 192 mm | 47.64" x 7.56"

Thickness:
6 mm



Waterproof Wood Flooring

THE FLOOR THAT COMBINES THE BEST



ENVIRONMENTALLY FRIENDLY CORE

organic chemical binders and sustainably sourced wood

K854 Sand Ribera Oak, RR

ADVANCED WATERPROOF PERFORMANCE

technologically enhanced traditional self-sealing wood properties

FAST INSTALLATION & EASY CARE

INDIVIDUALITY THROUGH DESIGN

a wide variety of plank formats and thicknesses

ROBUST SURFACE

Waterproof Wood-Based Flooring

O.R.C.A. (Organic^{*1} Rigid Coreboard Abrasion-proof Flooring) brings together the natural beauty of wood with advanced waterproofing performance.

It is made exclusively from timber, sourced in sustainably managed forests. Free from PVC^{*3} and made with organic chemical binders. Our floors store biogenic CO₂ during their lifetime.

Inspired by traditional wooden barrels and boats, O.R.C.A. flooring uses wood's natural self-sealing properties to resist moisture for up to 100 hours^{*2}. This quality makes it suitable for bathrooms, hallways, kitchens, and even high-traffic public spaces.

Each one of its wood fibers is individually encapsulated in a special moisture-repellent binder, reducing water absorption and ensuring long-lasting dimensional stability.

O.R.C.A.[®] comes in a variety of formats, thicknesses, and plank sizes, offering total design freedom while meeting the technical needs of each space.

Life Happens. O.R.C.A. Stays.
 Don't let a spill ruin your day, or your floor.
 Equipped with the revolutionary O.R.C.A. Moisture Defense Technology, our flooring is engineered to handle life's little accidents with ease.

Whether it's a major mishap with 100 hours of full water load protection, or the daily challenges of a busy home, tested for 1 hour of water exposure every single day for 100 days, O.R.C.A. stands resilient. Combining the beauty of organic materials with the endurance of a waterproof surface, it's the ultimate worry-free solution for your kitchen, bathroom, and beyond.



K501 Sand River Oak, TN

THE FLOOR THAT'S NOT AFRAID OF WATER

100h+ surface water protection guaranteed^{*2}

Little accidents occur almost daily.
 Our O.R.C.A. floors can withstand them.



^{*1} Consists of natural wood and an organic chemical binder
^{*2} 24h surface water protection as stipulated by NALFA (North American Laminate Floor Association) with additional 100h+ surface water protection according to works standard specification KRONOSPAN WN-101, www.kronospan.com/en_EN/100hours-test/, up to 100h no leakage based on ISO 4760:2022-05
^{*3} May contain traces of PVC, e.g. from packaging




**DURASTAR
SILENT CORK**

**UNMATCHED
DURABILITY.
STAR-LIKE
PERFORMANCE.**

DURASTAR SILENT CORK brings together the very best of Kronospan's innovations and craftsmanship. Featuring nature-inspired decors, realistic tactile textures, and our most advanced waterproof technology O.R.C.A. The collection achieves the highest utilization class AC6.

Walk on floors built with style for comfort and durability that you can trust in the moments that matter the most.



K852

DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm



Format:
1288 x 245 mm | 50.71" x 9.65"

Thickness:
13 mm

Lock:
1 clic 2 go pure+

O.R.C.A.®

WATER DEFENSE TECHNOLOGY

* selected decors

EN 13329




K844 Cream Darcy Oak, DY



new

K844
Cream Darcy Oak, DY



new

K854
Sand Ribera Oak, RR



new


K852
Vintage Ribera Oak, RR



DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm



K853 Honey Ribera Oak, RR

Format:
1288 x 245 mm | 50.71" x 9.65"

Thickness:
13 mm



DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm

Eden Cafe



Format:
630 x 126 mm | 24.80" x 4.96"

Thickness:
9 mm




Lock:
Fold Down



EN 13329



K847 Blonde Montanara Oak, MR



DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm

K849
Dark Montanara Oak, MR

new



K849 Dark Montanara Oak, MR

Format:
630 x 126 mm | 24.80" x 4.96"

Thickness:
9 mm



DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm



Format:
1288 x 245 mm | 50.71" x 9.65"
2003 x 245 mm | 78.86" x 9.65"

Thickness:
9 mm


K847 Blonde Montanara Oak, MR

Formats:
1288 x 245 mm | 50.71" x 9.65"
2003 x 245 mm | 78.86" x 9.65"

Thickness: **9 mm**
 Lock: **1clic 2go pure+**



EN 13329



new

K847
 Blonde Montanara Oak, MR



new

K843
 Natural Darcy Oak, DY



new

K850
 Smoked Montanara Oak, MR



DURASTAR SILENT CORK



with PerfectPad® Cork 1 mm

K849
Dark Montanara Oak, MR

new



K849 Dark Montanara Oak, MR

Format:
1288 x 245 mm | 50.71" x 9.65"
2003 x 245 mm | 78.86" x 9.65"

Thickness:
9 mm



FLEX SILENT CORK
Wood n' vinyl

**THE WARMTH
OF WOOD.
THE STRENGTH
OF VINYL.**

This next generation of flooring takes innovation a step further – our sustainable wood-based O.R.C.A. core delivers advanced water protection, while a resilient vinyl surface ensures complete waterproof strength.

Engineered for everyday living, it offers a cork underlay for whisper-quiet steps and extra thermal insulation, a scratch resistant surface for effortless maintenance, and a 7 mm plank thickness for seamless installation without undercutting the door jamb.

K509

K502

FLEX SILENT CORK



with PerfectPad® Cork 1 mm

Format:
1288 x 189 mm | 50.71" x 7.44"

Thickness:
7 mm



K500
Pearl River Oak, TN



K503
Pebble Manor Oak, TN



K506
Lunar Range Oak, TN

Formats:
638 x 322 mm | 25.12" x 12.68"
1288 x 189 mm | 50.71" x 7.44"

Thickness:
7 mm

Lock:
1clic 2go pure+



EN 16511

- 23 (Icon: House)
- 34 (Icon: Building)
- TITANIUM ULTRA (Icon: Stars)
- 30 YEARS (Icon: Clock)
- 4 (Icon: Checkmark)
- (Icon: Scratch)
- (Icon: Sun)
- (Icon: Paw)
- (Icon: Hand)
- KG (Icon: Weight)
- (Icon: Foot)
- (Icon: Leaf)



K500 Pearl River Oak, TN



FLEX SILENT CORK



with PerfectPad® Cork 1 mm

Format:
1288 x 189 mm | 50.71" x 7.44"

Thickness:
7 mm



K501 Sand River Oak, TN

FLEX SILENT CORK



with PerfectPad® Cork 1 mm

K508
Brooklyn Mist, US



K509
Brooklyn Vibe, US



K510
Brooklyn Dark, US



K509 Brooklyn Vibe, US

Format:
638 x 322 mm | 25.12" x 12.68"


Thickness:
7 mm



CLASSIC SILENT CORK



with PerfectPad® Cork 1 mm



O980
Natural Red Oak, HG



O771
Pacific Cherry, HG



O980 Natural Red Oak, HG


Format:
1383 x 159 mm | 54.45" x 6.26"

Thickness:
8.5 mm

Lock:
Angle Tap



EN 13329




CLASSIC SILENT ECO



with PerfectPad® Eco 1 mm

Format:
1288 x 195 mm | 50.71" x 7.68"

Thickness:
9 mm



K668
Mist Ethereal Oak, ET



K406
Eurus Oak, NL



K405
Solar Oak, NL


Formats:
1286 x 192 mm | 50.63" x 7.56"
1288 x 195 mm | 50.71" x 7.68"

Thickness:
8.5 | 9 mm

Lock:
Angle Tap
1 clic 2go pure+

O.R.C.A.[®]
WATER DEFENSE TECHNOLOGY
* selected decors

EN 13329






K406 Eurus Oak, NL

CLASSIC SILENT ECO



with PerfectPad® Eco 1 mm



Format:
1288 x 195 mm | 50.71" x 7.68"




Thickness:
9 mm

5947 Historic Oak, HO

CLASSIC SILENT ECO




with PerfectPad® Eco 1 mm



Format:
1286 x 192 mm | 50.63" x 7.56"

Thickness:
8.5 mm




K2971 Avola Sarocco Oak, SC

CLASSIC



Format:
1288 x 195 mm | 50.71" x 7.68"

Thickness:
8 mm




Formats:
638 x 330 mm | 25.12" x 12.99"
1288 x 195 mm | 50.71" x 7.68"

Thickness:
8 mm Lock:
1 clic 2go pure+


O.R.C.A.[®]
WATER DEFENSE TECHNOLOGY

* selected decors

EN 13329



K231
Misty Plains Oak, TO



K669
Rope Ethereal Oak, ET





K406
Eurus Oak, NL




K669 Rope Ethereal Oak, ET



CLASSIC



Format:
1288 x 195 mm | 50.71" x 7.68"

Thickness:
8 mm





Format:
638 x 330 mm | 25.12" x 12.99"

Thickness:
8 mm



COMFORT SILENT CORK



with PerfectPad® Cork 1 mm




Format:
1288 x 195 mm | 50.71" x 7.68"

Thickness:
8 mm


Lock:
1clíc 2go pure+

O.R.C.A.[®]
WATER DEFENSE TECHNOLOGY

EN 13329



5953
Chantilly Oak, RO



K453
Biscotti Oak, RO



K445
Ethereal Oak, TO



K453 Biscotti Oak, RO

COMFORT SILENT CORK



with PerfectPad® Cork 1 mm

K224
Wild West Oak, TO



K329
Buckingham Oak, RO



K489
Bourbon Hills Oak, NL



K224 Wild West Oak, TO

Format:
1288 x 195 mm | 50.71" x 7.44"

Thickness:
8 mm



O.R.C.A. WATERPROOF FLOORING

CLEVER SILENT ECO



with PerfectPad® Eco 1 mm




Format:
1288 x 195 mm | 50.71" x 7.68"

Thickness:
7 mm

Lock:
1clíc 2go pure+



EN 13329





K063 Organic Oak, TO

CLEVER SILENT ECO



with PerfectPad® Eco 1 mm



Format:
1288 x 195 mm | 50.71" x 7.68"

Thickness:
7 mm



K489 Bourbon Hills Oak, HO

**Moisture
Resistant
Flooring**

**MO.RE! CAN
STAND UP TO
WHAT LIFE
BRINGS**



K285 Haybridge Oak, HO



mo.re! is based on a specially developed substrate formula. Its new binding agent makes the flooring more durable and decreases swelling - improving resistance to moisture penetration.

A.B.C. ANTIBACTERIAL
COMFORT**

**LONG-LASTING COLOR,
UV PROTECTION**

**WATER
RESISTANT***

**PROTECTION AGAINST
MICRO SCRATCHES**

PVC FREE***

* 24h surface water protection as stipulated by NALFA and 48 h splash-water protection according to works standard KRONOSPAN WIN-103, www.kronospan.com/en_EN/floor-with-more/

** Tested germs: Staphylococcus aureus

*** May contain traces of PVC, e.g. from packaging

Real Wood

**REAL WOOD
SURFACE WITH MO.RE!
INNOVATIVE MOISTURE
RESISTANT CORE**


**BEAUTY AND
ELEGANCE IN ONE**

**SOFT BEVEL EDGES
THAT MATCH AND
ENHANCE THE FLOOR'S
NATURAL WARMTH**



O352 Roast Oak, LU

REAL WOOD



Format:
1383 x 244 mm | 54.45" x 9.61"

Thickness:
8.5 mm

Lock:
Angle Tap






EN 14354

- 23
- 32
- TITANIUM ULTRA ★★★★★
- 20 YEARS
-
-
-



O273 Bradford Oak, LU



MO.REI WATER RESISTANT FLOORING

LONG PLANK 12




Format:
2003 x 245 mm | 78.86" x 9.65"

Thickness:
12 mm




Lock:
1cllic 2go pure+



EN 13329



K326 Sundace Oak, RO



LONG PLANK 12



K662
Sepia Tegernsee Oak, TG



K664
Hare Tegernsee Oak, TG



K851
Ferry Oak, MW

new



Format: **2003 x 245 mm** | 78.68" x 9.65"
Thickness: **12 mm**



K664 Hare Tegernsee Oak, TG

ATLANTIC 12




Format:
1288 x 195 mm | 50.71" x 7.68"

Thickness:
12 mm




Lock:
1clic 2go pure+



EN 13329



K845 Hay Darcy Oak, DY



MO.REI WATER RESISTANT FLOORING

ATLANTIC 12



K726
Honey Ethereal Oak, ET



K476
Inca Carpenter Oak, CM



K287
Steelworks Oak, HO




Format: 1288 x 195 mm | 50.71" x 7.68"
Thickness: 12 mm



K476 Inca Carpenter Oak, CM

ATLANTIC 10





Format:
1288 x 195 mm | 50.71" x 7.68"

Thickness:
10 mm


Lock:
1cllic 2go pure+

m.re!
moisture resistance technology
* selected decors

EN 13329



K667
Alpacas Ethereal Oak, ET



K669
Rope Ethereal Oak, ET



new

K852
Vintage Ribera Oak, RR








K852 Vintage Ribera Oak, RR

ATLANTIC 10







Format: 1288 x 195 mm | 50.71" x 7.68"
Thickness: 10 mm



ATLANTIC 10



Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 10 mm



K479 Espresso Carpenter Oak, CM

HERRINGBONE 8







Format:
630 x 126 mm | 24.80" x 4.96"

Thickness:
8 mm

Lock:
Fold Down



EN 13329



K326 Sundance Oak, RO

HERRINGBONE 8



K843
Natural Darcy Oak, DY

new



K850
Smoked Montanara Oak, MR

new



K848
Aged Montanara Oak, MR

new



Format:
630 x 126 mm | 24.80" x 4.96"

Thickness:
8 mm

K488
Rutherford Oak, CM



5947
Historic Oak, HO



K849
Dark Montanara Oak, MR

new



K488 Rutherford Oak, HO

HERRINGBONE 8



K023
Venato, SU



Format: 630 x 126 mm | 24.80" x 4.96" Thickness: 8 mm



K023 Venato, SU

LONG PLANK 8




Format:
203 x 245 mm | 78.86" x 9.65"

Thickness:
8 mm


Lock:
1cllic 2go pure+



EN 13329



K844
Cream Darcy Oak, DY






K847
Blonde Montanara Oak, MR



K843
Natural Darcy Oak, DY

K847 Blonde Montanara Oak, MR

LONG PLANK 8



Format: **2003 x 245 mm** | 78.86" x 9.65" Thickness: **8 mm**




K850 Smoked Montanara Oak, MR

ATLANTIC 8



Format: **1288 x 195 mm** | 50.71" x 7.68" Thickness: **8 mm**




Formats:
638 x 330 mm | 25.12" x 12.99"
1288 x 195 mm | 50.71" x 7.68"

Thickness: **8 mm** Lock: **1 clic 2go pure+**





EN 13329






K653 Ecrú Cantal Oak, MW

ATLANTIC 8



K469 Tortilla Cashmere Oak, NL






Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 8 mm



ATLANTIC 8








Format: 1288 x 195 mm | 50.71" x 7.68"
Thickness: 8 mm



K2738 Torro Cremona Oak, MW

ATLANTIC 8



K857 Grey Palais Oak, MW

ATLANTIC 8



K849
Dark Montanara Oak, MR

new



Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 8 mm





K849 Dark Montanara Oak, MR

ATLANTIC 8



Format:
638 x 330 mm | 25.12" x 12.99"


Thickness:
8 mm




ATLANTIC 7




Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 7 mm



K652
Cashew Montreux Oak, MW



K629
Gold Fiordaliso Oak, MW



K654
Sand Cantal Oak, MW




Formats:
1288 x 245 mm | 50.71" x 9.65"
1288 x 195 mm | 50.71" x 7.68"

Thickness:
7 mm

Lock:
1cllic 2go pure+





EN 13329



K652 Cashmere Montreux Oak, MW

ATLANTIC 7



Format: 1288 x 195 mm | 50.71" x 7.68" Thickness: 7 mm




ATLANTIC 7



K655
Dove Cantal Oak, MW



K649
Sienna Montreux Oak, MW



K655 Dove Cantal Oak, MW

Format: **1288 x 245 mm** | 50.71" x 9.65" Thickness: **7 mm**





Laminate Flooring

with
Optimized Wood
Fiber Technology

FAVOURITE FOR EVERYDAY LIVING



Time on Your Side:
Protection against standing water.

**AUTHENTIC LOOK
AND FEEL**

**LIGHT
RESISTANT**



**DIY-FRIENDLY
INSTALLATION**

**HYGIENIC* AND
EASY-TO-CLEAN SURFACE**


* Tested germs: Staphylococcus aureus

**UTILIZATION
CLASS 32**



K625 Wheat Pistachio Oak, MW

SUPER NATURAL 8




Format:
1288 x 195 mm | 50.71" x 7.68"

Thickness:
8 mm

Lock:
1clic 2go pure+



EN 13329



5966 Khaki Oak, NL



K418
Longbow Oak, GT



5946
Rockford Oak, NL



5966
Khaki Oak, NL

SUPER NATURAL 8


Format: 1288 x 195 mm | 50.71" x 7.68"
Thickness: 8 mm



K057
Clearwater Oak, GT



K625
Wheat Pistachio Oak, MW



K419
Armoury Oak, GT



K057 Clearwater Oak, GT



5985
Sherwood Oak, GT



K338
Credenza Oak, NL



8573
Harlech Oak, LP



SUPER NATURAL 8

8575
Blonde Oak, LP



K468
Gondola Oak, GT

K635
Fawn Apollo Oak, MW



Format: **1288 x 195 mm** | 50.71" x 7.68" Thickness: **8 mm**



K468 Gondola Oak, GT



K543 Sand Barbera Oak, SN

WALLS

Acoustic Panels


YOUR SPACE, YOUR SOUND, PERFECTED

Creative Freedom

Acoustic panels allow you to quickly and effectively create elevated contemporary interior spaces.

Exclusive Design

An exclusive appearance, expressed through refined aesthetics and elegance.





K543 Sand Barbera Oak, SN

Think.
Create.
Innovate.


Format: **2600 x 600 mm** | 102.36" x 23.62"
Thickness: **17 mm**

 ACOUSTIC ABSORBER


 INVISIBLE TRANSITION

 STAIN RESISTANT

 THERMAL INSULATION

 EASY TO MAINTAIN

 UV STABILITY



K543
Sand Barbera Oak, SN
Surface: Authentic Wood Texture
Slats: MDF Deep Black (9 mm)
Base: Black Polyester (8 mm)



K688
Natural Canella Oak, PW
Surface: Authentic Wood Texture
Slats: MDF Natural (9 mm)
Base: Black Polyester (8 mm)



K547
Tobacco Franklin Walnut, RW
Surface: Authentic Wood Texture
Slats: MDF Deep Black (9 mm)
Base: Black Polyester (8 mm)

Kronowall 3D Panels

WALLS WORTH SHOWING OFF

When it comes to adding style and character to your spaces, our 3D wall panels are the easy choice to make. Their smart mounting system ensures quick, precise, and hassle-free installation. Each panel is 12 mm thick with a durable, easy-to-clean and maintain surface for long-lasting beauty.





K326 Sundance Oak, RO

Format: 1296 x 132 mm | 51.02" x 5.20"
Thickness: 12 mm

-  LIGHTFAST SURFACE
-  EASY TO CLEAN
-  HEAT RESISTANT
-  AUTHENTIC EMBOSSED



8630
Aspen Oak, LP



K284
Seabreeze Oak, RO



K326
Sundance Oak, RO




WALL & CEILING PANELS

EASY STYLE FOR EVERY WALL

Fast and easy
installation due to
the click connection

Variable longitudinal
joint design

Suitable for humid
areas



Perfect connection with self-locking
tongue & groove profile on the short side



9077 Edelweiss Pore


Format: **2000 x 202 mm** | 78.74" x 7.95" Thickness: **10 mm**

9002
White Uni

9077
Edelweiss Pore

Format:
1300 x 202 mm | 51.18" x 7.95"
2000 x 202 mm | 78.74" x 7.95"
2600 x 202 mm | 102.36" x 7.95"
Thickness:
10 mm

 LIGHTFAST SURFACE

 EASY TO CLEAN

 SUITABLE FOR BATHROOMS

WALL & CEILING PANELS



Format: Thickness:
1300 x 202 mm | 51.18" x 7.95" **10 mm**
2600 x 202 mm | 102.36" x 7.95"



Accessories that match your floor perfectly

Selected range of products

Every floor needs proper accessories. We supply you with the ideal equipment for all types of flooring. One contact, one supplier – making everything so much simpler for you.

Underlays


Depending on the situation in the room, attention must be paid to the correct underlay material when installing the flooring. For this we offer multiple solutions.

Skirting boards

Choose from a range of skirtings in various decors that match all KronoOriginal[®] floors. Our advanced fixing system makes it quick and simple to achieve a perfect installation.

Additional accessories

If you still look for the proper skirting board, corner pieces, aluminium adhesive tape for sealing or you are done and wish to mop the floor, take a look at the following pages and discover the wide range of accessories.



All under one roof








Our guidance system shows the matching products for different types of floor.

- REAL WOOD** REAL WOOD
Height: 8.5 mm
- VINYL Flooring** Vinyl flooring:
Height: 6 mm, including silent pad
- O.R.C.A. Flooring** O.R.C.A. flooring:
Height: 7, 8, 8.5, 9, 13 mm, organic rigid coreboard
- MO.RE! Flooring** MO.RE! flooring:
Height: 7, 8, 10 and 12 mm
- Laminate Flooring** Laminate flooring:
Height: 8 mm








Underlays

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Underlay PUR 1.0		98535 [EX PUR1.0_ORCA] 98535 [EX PUR1.0_SPC]	Material: PET film + polyurethane heavy-duty layer + non-woven material	1 x 10 m = 10 m ²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay PUR 2.0		98571 [EX KO98571N]	Material: Polyurethan and mineral fillers	1 x 7.5 m = 7.5 m ²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay WOOD 5.0		90171 [EX 90171.]	Material: Wood fibres	0.79x0.59m x 15 = 7 m ²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay XPS 5.0		98536 [EX XPS5.0]	Material: Extruded polystyrene	1.18 x 4.7 m = 5.5 m ²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Underlay XPS 2.2 ALU		98515 [EX XPS2.2ALU]	Material: HFPS-foam & moisture protection foil	1.2 x 12.5 m = 15 m ²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
PE foil		98111 [EX FOLIE2.0]	Material: Polyethylene	2 x 7.5 m = 15 m ²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Aluminium tape		98191 [EX ALUBAND]	Thickness: 0.048 mm Width: 50 mm	1 roll (50 m)	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring








Skirting boards

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
K58C skirting board		91061 [EX xxxxSLH]	2600 x 58 x 18 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
K58C skirting board moisture resistant		97345 [EX SK58C-xxxx]	2400 x 58 x 18 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
K58C skirting board for floors with O.R.C.A. (Water Defense Technology)		95316 [EX xxxxSLH-ORCA]	2600 x 58 x 18 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Square cut skirting board		95951 [EX 9002DS19_100]	2600 x 100 x 17 mm	5 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Square cut skirting board		95481 [EX 9002DS19_70]	2600 x 70 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Square cut skirting board		95491 [EX 9002DS19_58]	2600 x 58 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Shaped skirting board		95981 [EX 9002DS17_100]	2600 x 100 x 17 mm	5 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring






Skirting boards

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Shaped skirting board		95991 [EX 9002DS17_70]	2600 x 70 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Shaped skirting board		95471 [EX 9002DS17_58]	2600 x 58 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Rounded skirting board		96001 [EX 9002DS15_100]	2600 x 100 x 15 mm	5 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Rounded skirting board		96021 [EX 9002DS16_90]	2600 x 90 x 16 mm	5 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Rounded skirting board		96011 [EX 9002DS15_70]	2600 x 70 x 17 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Accessories for K58C skirting board		98011 98001 98021	External corners Internal corners End caps	90° in packs of 2 90° in packs of 2 in packs of 4, 2 left and 2 right	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Mounting clips		91501 [EX 50510]	-	Box of 30 pieces, complete with screws and rawl plugs	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring

Profile systems

Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Design click transition profile, 2-part		95112 95113	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Design click ramp profile, 2-part		95122 95123	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Design click end profile, 2-part		95132 95133	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Transition click profile		98391 98381	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Ramp click profile		98411 98401	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
End click profile		98371 98361	900 mm or 2700 mm	1 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
3in1 profiles		95315 [EX 95315-A002] anodised stainless steel	1000 mm	10 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring

Additional accessories


Article	Illustration	Item No. [Customer Code]	Description	Packing Unit	Suitable for
Tap-block		90274 [EX SCHLAGKLOTZ]	168/90 x 70 x 20 mm	20 pcs.	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Clickguard™ joint sealant		90431 [EX 94270]	-	125 ml ≈ ca. 10 m²	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Laminate cleaner		90411 [EX 92011]	-	1000 ml	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Design floor cleaner		97554 [EX DESIGNBODEN_ REINIGER]	-	750 ml	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring
Cleaner for floors with O.R.C.A. (Moisture Defense Technology)		90411 [EX REINIGER_ORCA]	-	750 ml	REAL WOOD, VINYL Flooring, O.R.C.A. Flooring, MO.RE! Flooring, Laminate Flooring

Packaging information

Flooring Type	Collection Name	Plank Size	Thickness	Planks/ Pack.	m ² sq ft/Pack.	Weight/Pack. [kg lbs]	Pack./Pallet = m ² sq ft
ROCKO VINYL FLOORING	LONG PLANK SILENT	1850 x 295 mm 72.83" x 11.61"	6 mm	4 planks	2.18 m ² 23.50 sqft.	22.1 kgs 48.74 lbs	45 pack. = 98.24 m ² 1057 sqft.
	HERRINGBONE SILENT	635 x 127 mm 25.00" x 5.00"	6 mm	20 planks	1.61 m ² 17.36 sqft.	17.60 kgs 38.80 lbs	48 pack. = 77.42 m ² 833 sqft.
	WIDE PLANK SILENT	1210 x 234 mm 47.64" x 9.21"	6 mm	6 planks	1.70 m ² 18.29 sqft.	16.91 kgs 37.28 lbs	48 pack. = 81.54 m ² 878 sqft.
	STANDARD PLANK SILENT	1210 x 192 mm 47.64" x 7.56"	6 mm	7 planks	1.63 m ² 17.50 sqft.	15.88 kgs 35.01 lbs	60 pack. = 97.57 m ² 1050 sqft.
O.R.C.A. WATERPROOF FLOORING	DURASTAR SILENT CORK	1288 x 245 mm 50.71" x 9.65"	13 mm	5 planks	1.58 m ² 16.98 sqft.	5.83 kgs 12.85 lbs	39 pack. = 61.53 m ² 662 sqft.
		630 x 126 mm 24.80" x 4.96"	9 mm	10 planks	0.79 m ² 8.54 sqft.		96 pack. = 76.20 m ² 820 sqft.
		2003 x 245 mm 78.86" x 9.65"	9 mm	6 planks	2.94 m ² 31.69 sqft.		36 pack. = 106.00 m ² 1141 sqft.
		1288 x 245 mm 50.71" x 9.65"	9 mm	8 planks	2.52 m ² 27.17 sqft.		32 pack. = 98.45 m ² 1060 sqft.
	FLEX SILENT CORK	638 x 322 mm 25.12" x 12.68"	7 mm	12 planks	2.47 m ² 26.54 sqft.	15.97 kgs 35.21 lbs	32 pack. = 78.89 m ² 849 sqft.
		1288 x 189 mm 50.71" x 7.44"		10 planks	2.43 m ² 26.20 sqft.	15.71 kgs 34.63 lbs	52 pack. = 126.58 m ² 1363 sqft.
	CLASSIC SILENT ECO/CORK	1286 x 192 mm 50.63" x 7.56" ECO	8.5 mm	9 planks	2.22 m ² 23.92 sqft.	15.70 kgs 34.61 lbs	48 pack. = 106.67 m ² 1148 sqft.
		1288 x 195 mm 50.71" x 7.68" ECO	9 mm	8 planks	2.01 m ² 21.63 sqft.	13.62 kgs 30.03 lbs	52 pack. = 104.48 m ² 1125 sqft.
		1383 x 159 mm 54.45" x 6.26" Cork	8.5 mm	11 planks	2.42 m ² 26.04 sqft.	16.22 kgs 35.75 lbs	45 pack. = 108.85 m ² 1172 sqft.
	CLASSIC	638 x 330mm 25.12" x 12.99"	8 mm	11 planks	2.32 m ² 24.93 sqft.	17.16 kgs 37.83 lbs	32 pack. = 74.11 m ² 798 sqft.
1288 x 195 mm 50.71" x 7.68"		9 planks		2.26 m ² 24.33 sqft.	16.50 kgs 36.38 lbs	52 pack. = 117.54 m ² 1265 sqft.	
COMFORT SILENT CORK	1288 x 195 mm 50.71" x 7.68"	8 mm	9 planks	2.26 m ² 24.33 sqft.	16.41 kgs 36.18 lbs	32 pack. = 72.33 m ² 779 sqft.	
CLEVER SILENT ECO	1288 x 195 mm 50.71" x 7.68"	7 mm	9 planks	2.26 m ² 24.33 sqft.	14.38 kgs 31.70 lbs	52 pack. = 117.54 m ² 1265 sqft.	
REAL WOOD FLOOR- ING	REAL WOOD	1383 x 244 mm 54.45" x 9.61"	8.5 mm	7 planks	2.36 m ² 25.43 sqft.	16.11 kgs 35.52 lbs	45 pack. = 106.30 m ² 1144 sqft.
MO.REI WATER RESISTANT FLOORING	LONG PLANK 12	2003 x 245 mm 78.86" x 9.65"	12 mm	4 planks	1.96 m ² 21.13 sqft.	19.80 kgs 43.65 lbs	36 pack. = 70.67 m ² 761 sqft.
	ATLANTIC 12	1288 x 195 mm 50.71" x 7.68"	12 mm	6 planks	1.51 m ² 16.22 sqft.	15.35 kgs 33.84 lbs	52 pack. = 78.36 m ² 843 sqft.
	ATLANTIC 10	1288 x 195 mm 50.71" x 7.68"	10 mm	7 planks	1.76 m ² 18.92 sqft.	14.77 kgs 32.56 lbs	52 pack. = 91.42 m ² 984 sqft.
	HERRINGBONE 8	630 x 126 mm 24.80" x 4.96"	8 mm	11 planks	0.87 m ² 9.40 sqft.	5.98 kgs 13.18 lbs	96 pack. = 83.83 m ² 902 sqft.
	LONG PLANK 8	2003 x 245 mm 78.86" x 9.65"	8 mm	6 planks	2.94 m ² 31.69 sqft.	21.75 kgs 47.95 lbs	36 pack. = 106.00 m ² 1141 sqft.
		1288 x 195 mm 50.71" x 7.68"		9 planks	2.26 m ² 24.33 sqft.	15.35 kgs 33.84 lbs	52 pack. = 117.54 m ² 1265 sqft.
	ALTANTIC 8	638 x 330 mm 25.12" x 12.99"	8 mm	11 planks	2.32 m ² 24.93 sqft.	15.41 kgs 33.97 lbs	32 pack. = 74.11 m ² 798 sqft.
ATLANTIC 7	1288 x 245 mm 50.71" x 9.65"	7 mm	9 planks	2.84 m ² 30.57 sqft.	16.74 kgs 36.91 lbs	39 pack. = 110.76 m ² 1192 sqft.	
	1288 x 195 mm 50.71" x 7.68"		10 planks	2.51 m ² 27.03 sqft.	14.60 kgs 32.19 lbs	52 pack. = 130.60 m ² 1406 sqft.	
LAMINATE FLOORING	SUPER NATURAL 8	1288 x 195 mm 50.71" x 7.68"	8 mm	9 planks	2.26 m ² 24.33 sqft.	15.35 kgs 33.84 lbs	52 pack. = 117.54 m ² 1265 sqft.



K852 Vintage Ribera Oak, RR



Plank Size	630 x 126 mm 24.80" x 4.96"	635 x 127 mm 25.00" x 5.00"	638 x 322 mm 25.12" x 12.68"	638 x 330 mm 25.12" x 12.99"	1210 x 192 mm 47.64" x 7.56"	1210 x 234 mm 47.64" x 9.21"	1286 x 192 mm 50.63" x 7.56"	1288 x 189 mm 50.71" x 7.44"	1288 x 195 mm 50.71" x 7.68"	1288 x 245 mm 50.71" x 9.65"	1383 x 159 mm 54.45" x 6.26"	1383 x 244 mm 54.45" x 9.61"	1850 x 295 mm 72.83" x 11.61"	2003 x 245 mm 78.86" x 9.65"
Collection Name	Durastar Silent Cork Herringbone 8	Herringbone Silent	Flex Silent Cork	Classic Atlantic 8	Standard Plank Silent	Wide Plank Silent	Classic Silent Eco	Flex Silent Cork	Classic, Classic Silent Eco Comfort Silent Cork Clever Silent Eco Atlantic 12 10 8 7 Super Natural 8	Durastar Silent Cork Atlantic 7	Classic Silent Eco	Real Wood	Long Plank Silent	Durastar Silent Cork Long Plank 12 8

Features guide

Your benefits at a glance



Residential guarantee

All floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product.



Real groove

Bevelled edges on all four sides of the plank ensure an authentic floorboard look.



Pressed bevel

Inspired by traditional craftsmanship, the true-edge-bevels provide a harmonious room appearance.



Micro bevel

Micro bevel creates precise plank separation for a smooth and subtle surface.



Soft bevel

Soft bevel ensures easy plank joining and clean natural-looking finish.



Robust

This flooring is amazingly robust due to its super durable surface. Moving furniture or falling objects are not a problem because of its high pressure and impact resistance.



Warm underfoot

Due to its flexible design layer, the flooring has comfortable haptics and is warm underfoot.



Anti-slip class

Safety is something we put great emphasis on. Classification in anti-slip classes has been achieved through specially developed surface structures, which address the requirements for floor coverings in the workplace and commercial areas where a high risk of slipping is present. Classification: R9 and R10 according to DIN 51130 and DIN EN 16165, A and B according to DIN 51097 and DIN EN 16165



Anti-slip class



Soft touch

The flooring has a soft surface and feels very comfortable.



Anti bacterial comfort

A.B.C. Anti Bacterial Comfort inhibits the growth of bacteria on your flooring and provides you with the peace of mind that comes from a healthy home environment. Tested germs: Staphylococcus aureus.



Authentic embossed

The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



Microscratch protect

The robust surface protects your flooring against microscratches that can be caused by strong mechanical stresses or the claws of house pets.



Pet-proof

Thanks to the robust surface, which is also undaunted by small mishaps, the flooring is exceptionally well-suited for life with house pets.



Light-resistant

Even on days when the sun is shining for hours, your flooring maintains its color and does not fade. Not suitable for spaces with direct sunlight.



Silent

Due to the integrated pad, the flooring reduces impact sound, echoes and vibrations.




Real wood

This floor is made from real wood. The high-quality brushed oak surface gives every room natural elegance.



Anti-static

The flooring provides complete protection against unpleasant shocks. The Anti-static is built-in and guaranteed for the life of the floor.




High Gloss

High Gloss Surface



Multi Room Concept

Design available in different plank formats for every space – long plank, herringbone, standard / wide plank



Perfect Plank

An innovative technology of digitally printed planks with low pattern repeat.

SENSOTOUCH

Digital technology for both printing and texturing, creating a perfectly harmonized decor.



Disclaimer

The information contained in this promotional material is for illustration and informational purposes only and is subject to change. Statements, figures, calculations, plans, images and representations are indicative only. Images may include sketches and computer generated images. The information contained in this material is a guide only and does not constitute an offer, inducement, representation, warranty or contract. Colors used in this promotional material may differ from the colors of products to be supplied. Customers and third parties must have a professional adviser inform them about (the suitability of) products for all desired applications. Although every reasonable effort is made to present current and accurate information, Kronospan accepts no responsibility for the accuracy of any information contained herein or for any action taken in reliance thereon by any party. Kronospan makes no guarantees of any kind. No rights can be derived from the information provided. The use of the information is at the other party's risk and responsibility. Accordingly, any other party should confirm the accuracy and completeness of the information before making any decision related to any services, products or other matters described in this material. All intellectual property rights and other rights regarding the content of this material (including copyright, trademarks, text and photographs) are owned by Kronoplus Limited.



Made by Kronospan



www.kronospan.com
www.krono-original.com

